




Twinflow

HOT WATER HEATERS




(See inside pages for description)

<i>Part No.</i>	<i>Application</i>	<i>List Price</i>
Complete package with Water Line Fittings		
3106193	De Luxe—For all cars.....	\$17.95
3106167	Master—For all cars.....	14.95
3106144	Standard—For all cars.....	12.95
3106366	Standard Package—For Ford V8—All Models..... (Includes 2 Heater Thermostats)	14.95
3106372	Standard Package—For Plymouth—1933-34-35.....	12.95
3106373	Standard Package—For Chevrolet Standard—1935-36; and Chevrolet Master—1933-34-35-36..... (Includes Heater Thermostat)	13.95

RESALE SCHEDULE

CONSUMER.....	LIST PRICE
CAR DEALER, CAR DISTRIBUTOR, GENERAL TRADE AND "W" ACCOUNTS.....	40%

THE FAMOUS
Twinflow DOWNDRAFT
OUTDRAFT
PRINCIPLE of HEAT DELIVERY



HARRISON Twinflow Heaters deliver heat both *downward* to the floor of the car, and *outward* toward the passenger and driver . . . This dual heat delivery is accomplished by means of built-in distributing chamber and Deflectors as shown in illustration . . .

By closing Outdraft Deflectors, all of the heat is delivered downward to warm cold feet of driver and passenger. By partly closing Outdraft Deflectors part of the heat is delivered downward and part outward in any ratio desired.

Because of the natural law of warm air to *rise* and cold air to seek the lower levels, it is invariably the case that the ceiling area of a car will be overheated by conventional heaters while at the same time the floor line is chilly and uncomfortable to the feet and ankles . . . Therefore from a practical standpoint satisfactory heating results depend more upon the distribution of heat than upon any other factor.

1935

1936

Twinflow HOT WATER HEATERS

... SPECIAL FEATURES ...

DOWNDRAFT-OUTDRAFT HEAT DELIVERY—The exclusive Twinflow principle of dual heat delivery is a real step forward in the ideal heating of a motor car . . . Twinflow Heaters in addition to conventional out-draft delivery also direct heat to the coldest part of the car—at the floor line—where feet and ankles tend to suffer in cold weather. Heat then rises by natural laws to warm the balance of the car.

EXCEPTIONALLY LARGE CAPACITY—Major advancements have been made in core design and heating efficiency which makes possible a heat output in excess of 11,000 B.T.U. hourly from all Twinflow Models.

DELCO MOTOR—ILLUMINATED SWITCH—All Twinflow models are equipped with Delco Motors, mounted on rubber base and with self-aligning, oil-less bearings throughout, controlled by variable speed, illuminated switch of handsome design.


MODERN STYLED AND ENGINEERED in step with modern day cars and consumer demand for greater winter driving comfort.

COMPACT AND EASILY INSTALLED—The new Twinflow Heaters are unusually compact for easy installation on modern motor cars . . . The drilling template is shown below:

5/16 DRILL




3/4 DRILL



Twinflow

DRILLING TEMPLATE


Hundreds of thousands of 1933-34-35-36 General Motors Cars have dash drilling which accommodates all Twinflow Models . . . This enhances owner and dealer acceptance of Twinflow Heaters!




3/4 DRILL



5/16 DRILL



FULL SIZE ILLUSTRATION



THE NEW

HARRISON

Twinflow

DE LUXE

• *For All Cars* •

FEATURES

DOWNDRAFT-OUTDRAFT HEAT DELIVERY



OUTSTANDING HEAT CAPACITY . . . hourly output
in excess of 13,000 B.T.U.



FULL DIE CAST BODY, CHROME FINISH—DEFLECTORS equipped with brown onyx knobs



DELCO MOTOR, Mounted on Rubber Base . . . Controlled
by illuminated, variable speed switch of handsome design



SALES APPEAL . . . The NEW TWINFLOW DE LUXE
not only excels in heat output and scientific heat delivery,
but also reflects richness and modern styling second to none

LIST
PRICE
\$17 95


THE NEW



Twinflow
MASTER

LIST
PRICE
\$14 95

For All Cars



FEATURES


- DOWNDRAFT-OUTDRAFT HEAT DELIVERY
- ABUNDANT HEAT CAPACITY—in excess of 11,000 B.T.U. hourly
- DELCO MOTOR—Mounted on rubber base—controlled by handsome, variable speed, illuminated switch
- CHROME FACE AND DEFLECTORS—Equipped with attractive brown onyx knobs—Brown satin finish on heater body
- COMPACT AND EASILY INSTALLED—Occupies minimum amount of space on dash and in car

THE NEW



Twinflow
STANDARD
... For All Cars ...

LIST
PRICE
\$12.95



FEATURES

- DOWNDRAFT-OUTDRAFT HEAT DELIVERY
- ABUNDANT HEAT CAPACITY—in excess of 11,000 B.T.U. hourly
- DELCO MOTOR—Mounted on rubber base—controlled by variable speed, illuminated switch of handsome design
- CHROME DEFLECTORS equipped with attractive brown onyx knobs
- HEATER BODY AND FACE in brown satin finish
- COMPACT and EASILY INSTALLED

THE NEW

HARRISON

Twinflow


STANDARD

PACKAGES FOR FORD V8

CHEVROLET

PLYMOUTH

(See page 7 for descriptive data of the new *Twinflow Standard Hot-Water Heater*)



APPLICATION

PART NO.
Complete package with
Water Line Fittings

3106366 FORD V-8—ALL MODELS (Includes two heater thermostats)
3106373 CHEVROLET 1933-4-5-6 Master; 1935-6 Standard (Includes heater
thermostat)
3106372 PLYMOUTH 1933-4-5

LIST
PRICE
\$14.95
13.95
12.95